



OUR CONTACTS

02081, Ukraine
Kiev, Petra Hryhorenka Ave, 14
e-mail: info@healthpeel.com
+38(044)360-60-30,
+38(067)23-000-81

HEALTH PEEL

Catalog of Peels



www.healthpeel.com



HEALTH PEEL

CONTENTS

LACTIC PEEL 45%, pH 2.2.....	3
LACTIC PEEL 90%, pH 2.8.....	4
GLYCOLIC PEEL 70%, pH 1.6.....	5
GLYCOLIC PEEL 20%, pH 1.9.....	6
GLYCOLIC PEEL 40%, pH 1.6.....	7
JESSNER'S PEEL.....	8
SALICYLIC-RESORCINOL PEEL pH 1.6.....	9
RETINOL PEEL 5%.....	10
FRUIT PEEL 5/70, pH1.1.....	11
SALICYLIC PEEL 20%, pH 2.0.....	12
SALICYLIC-GLYCOLIC PEEL pH 2.0.....	13
TCA PEEL 25%, pH 1.1.....	14
AHA EMULSION 25%.....	15
RETINOL-GLYCOLIC PEEL 5%.....	16
PHENOL PEEL 10%, pH 1.0.....	17
NEUTRALIZER.....	18
PRE-PEEL 8%.....	18

ABOUT US...

Our company has more than 10 years of experience in cosmetology and aesthetic medicine. Today, we cooperate with many clients on the territory of Ukraine, in Europe and the United States. We try to keep up with the times and to use in our work the latest technology in the production of the latest techniques and business in general.

Catching wholesale of cosmetic products, the main purpose of our company is:

- tracking of customer needs, and rapid response to their regularly-changing needs and demands.
- production of exclusive products, the quality of which is confirmed by the relevant certificates;
- creating win-win conditions for partners and dealers and achieving a high degree of efficiency in this cooperation.

We are ambitious and aim to become the market leader of products for health and beauty, offering quality and effective product to our consumers.

Our products are made in the manufacturing equipped with the latest technology under the supervision of qualified professionals who have appropriate education and experience. We debugged interaction with the major logistics companies, which as soon as possible deliver your order at your address.

We have a rich experience of cooperation with commercial enterprises how to engaged in the proliferation of cosmetic products, and we know what to offer to our partners and interest. Then and our immediate task is to — expand the dealer network in the Baltic States and the Eastern European market.

Regularly participating in international exhibitions, we are always aware of the latest trends in modern cosmetology and respond timely to the new needs of customers.



LACTIC PEEL

45%, pH 2.2

Ingredients: lactic acid, arginine, water, sodium hydroxide, hydrogenated castor oil, hydroxyethylcellulose.

Purpose: dehydration of the epidermis, melasma, skin flabbiness of hands, hypersensitive skin with the signs of rosacea, rejuvenation of the skin of hands photoageing, intensive procedure's skin.

Contraindicated:

- individual intolerance of ingredients of peeling composition,
- violation of the integrity of the skin,
- inflammation of the skin,
- herpes in active phase,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.



Application

Lactic acid is a natural component of the metabolic processes of the skin, has a moisturizing, whitening and regenerative effect. Lactic acid improves the functional barrier. Moisturizing effect is achieved due to the transfer of water molecules to the skin surface and stimulates the synthesis of ceramide. Large molecules of arginine penetrate very slowly through skin layers that allows to avoid irritation typical for other peel compositions. Lactic peel has all advantages and effects of alfahydroacid compositions – exfoliation, stimulation of cellular regeneration, improvement of microrelief of the skin, anti-pigmentation.

LACTIC PEEL

90%, pH 2.8

Ingredients: lactic acid, aqua, sodium hydroxide, hydrogenated castor oil, hydroxyethylcellulose.

Purpose: dehydration of the epidermis, melasma, sagging skin, rejuvenation of the skin of hands, hypersensitive skin with the signs of rosacea, photoageing, intensive procedure's skin.

Contraindications:

- individual intolerance of ingredients of peeling composition,
- violation of the integrity of the skin,
- inflammation of the skin,
- herpes in active phase,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.



Application

Lactic acid is a natural component of the metabolic processes of the skin, has a moisturizing, whitening, and regenerative effect. Lactic acid improves the functional barrier. Moisturizing effect is achieved due to the transfer of water molecules to the surface of the skin and stimulate the synthesis of ceramide. Peeling has all the advantages and effects of alfahydroacid compositions – exfoliation, stimulation of cellular regeneration, improving microrelief of the skin, anti-pigmentation. These properties allow to use milk for the hypersensitive skin peeling with signs of rosacea, when other peelings contraindicated.

Prepeeling

There it is used the drug for prepeeling with fruit acids of low concentration – it is necessary for better penetration of the active substance at the peeling and higher efficiency of the basic procedure. Prepeeling is also used as a «provocation», ie the checking for sensitivity of the skin to the active substance. Prepeeling be ignored – but only if the procedure has already been carried out before and it is known how the skin responds to the application of certain concentration of lactic acid.

GLYCOLIC PEEL

20%, pH 1.9

Ingredients: water, glycolic acid, citric acid, lactic acid, salicylic acid, hydrogenated castor oil, sodium hydroxide.

Contraindications:

- herpes in the aggravation state,
- violation of the integrity of skin integument,
- recently completed or existing course of chemotherapy,
- allergy to any component of the drug,
- fresh tan,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.



Purpose

Problem skin (enlarged pores, black points — acne, acne, oily skin), fading skin (ageing), photoageing (skin thickening of the long exposure to the sun), unwanted pigmentation (including freckles), the effects of acne (spots, bulges and pits on the skin), treatment and prevention of molluscum contagiosum, aesthetic correction of skin defects (wrinkles, etc.).

Application

Glycolic acid has the shortest molecule and contains only two carbon atoms, whereby penetrates deeply into the layers of the skin and causes exfoliation, has antioxidant and moisturizing effect.

GLYCOLIC PEEL

40%, pH 1.6

Ingredients: water, glycolic acid, citric acid, lactic acid, salicylic acid, hydrogenated castor oil, sodium hydroxide.

Contraindications:

- herpes in the acute stage,
- violation of the integrity of skin integument,
- recently completed or existing course of chemotherapy,
- allergy to any component of the drug,
- fresh tan,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.



Purpose

Problem skin (enlarged pores, black points — acne, acne, oily skin), fading skin (ageing), photoageing (skin thickening from the long exposure to the sun), unwanted pigmentation (including freckles), the effects of acne (spots, bulges and pits on the skin), treatment and prevention of molluscum contagiosum, aesthetic correction of skin defects (wrinkles, etc.).

Application

Glycolic acid has the shortest molecule and contains only two carbon atoms, thanks to the fact penetrates deeply into the layers of the skin and causes exfoliation, has antioxidant and moisturizing effect. Glycolic acid is the most interesting for use in programs ANTI-AGE treatment. At penetration into the deeper layers of the skin, it is able to stimulate the main cells of the dermis — fibroblasts, which are responsible for the synthesis of collagen and elastin.

GLYCOLIC PEEL

70%, pH 1.3

Ingredients: glycolic acid, water, hydrogenated castor oil, sodium hydroxide.

Contraindications:

- herpes in active stage,
- violation of the skin integument,
- recently completed or existing course of chemotherapy are allergic to any component of the drug,
- fresh tan,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.



Purpose

Problem skin (enlarged pores, black points — acne, acne, oily skin), fading skin (ageing), photoageing (skin thickening from the long exposure to the sun), unwanted pigmentation (including freckles), the effects of acne (spots, bulges and pits on the skin), treatment and prevention of contagiosum molluscum, aesthetic correction of skin defects (wrinkles, etc.).

Application

Glycolic acid has the shortest Malekula and contains only two carbon atoms, thanks to the fact penetrates deeply into the layers of the skin and causes exfoliation, has antioxidant and moisturizing effect. Glycolic acid is the most interesting for use in programs ANTI-AGE treatment. At penetration into the deeper layers of the skin, and it is able to stimulate the main cells of the dermis — fibroblasts, which are responsible for the synthesis of collagen and elastin.

JESSNER'S PEEL

Ingredients: the alcohol, resorcinol, salicylic acid, lactic acid.

Contraindications:

- individual intolerance to any component of the preparation,
- diabetes,
- pregnancy and lactation,
- acute inflammatory lesions (herpes, pyoderma, etc.),
- infectious diseases of the skin (microsporia, trichophytosis),
- the injured skin,
- excessive sensitivity of the skin,
- high pressure,
- psoriasis and other autoimmune diseases.

Size: 1fl.oz / 30ml.



Purpose

Actinic giperkreatoz — excessive thickening of the horny layer of the epidermis; hyperpigmentation of the skin; pronounced signs of decay; seborrhea (skin pain associated with an increased sebaceous excretions); acne, acne; fine lines (grid); violation of the microrelief of the skin; senile and solar lentigines (age spots, like large freckles); freckles.

Application

Jessner's solution is combined peeling, the activity of which is determined by its member of lactic, salicylic acid, and resorcinol. Advantages of these components are that any of them do not cause any allergies. Lactic acid has a strong moisturizing, exfoliating and anti-inflammatory action. In addition it is increased the level of production of moisturizing factor, and the process of neocollagenesis starts and lightens of the pockets pigmentation. Salicylic acid produces a rapid sloughing of the epidermal cells (the process of exfoliation), enhances the action of lactic acid and gives a powerful bacteriostatic effect. Resorcinol, which is part of a chemical peel Jessner, has the property of skin tanning and disinfect it, which allows the use of this component in the treatment of various dermatological diseases.

SALYCILIC-RESORCINOL PEEL

pH 1.6

Ingredients: the alcohol, resorcinol, salicylic acid.

Contraindications:

- individual intolerance of ingredients peeling composition,
- violation of the integrity of the skin,
- inflammation in the skin,
- herpes in active form,
- severe somatic diseases, autoimmune diseases,
- kuperoz,
- pregnancy, lactation,
- chemotherapy and radiation therapy,
- individual intolerance of ingredients of peeling composition,
- pre-peeling training.
- When the patient has a problem skin and acne he must daily for 10-14 days apply a preparation pre-peeling on clean skin.

Size: 1fl.oz / 30ml.



Purpose

Acne, hyperkeratosis, flat warts, psoriasis, severe psoriasis with hyperkeratosis, postacne, burrowing hair, folikulity.

Application

Resorcinol-salicylic peel is considered a procedure with a surface or light median penetration. It softens the skin, promotes the synthesis of collagen in it, and the formation of new cells. Salicylic acid has a fat-dissolving properties, cleansing the skin from the fat penetrates into the enlarged pores, cleans them and reduces inflammation of the skin. Being a part of the peeling resorcinol kills bacteria and removes dead skin cells.



RETINOL PEEL

5%

Ingredients: alcohol, resorcinol, retinol, water.

Contraindications:

- individual intolerance and allergies to ingredients peeling composition,
- violation of the integrity of the skin,
- viral infections,
- inflammation of the skin,
- herpes active phase,
- liver disease, including hepatitis transferred,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.

Purpose

The lack of collagen, violation of normal skin moisture, presence of facial wrinkles, the lack of skin elasticity, need for skin whitening effect, the age and photoageing of the skin, hyperpigmentation, hyperkeratosis, acne.

Application

Normalizes slow metabolism in the skin, helps to stabilize cell membranes and protects them from free radicals, accelerates cell division and cell renewal, formation of protein structures, such as collagen and elastin.

Prepeeling

Prepeel drugs are used with a low concentration of fruit acids for prepinga — it is necessary to improve the uniformity of penetration of the active substance at the peeling with retinol and increase the efficiency of the procedure. Prepeel is used for 10-14 days daily before doing the peeling procedure.

FRUIT PEEL

5/70%, pH 1.1

Ingredients: water, malic acid, glycolic acid, citric acid, lactic acid, tartaric acid, sodium lactate, sodium citrate, disodium tartrate, sodium malate.

Contraindications:

- individual intolerance of ingredients peeling composition,
- violation of the integrity of the skin,
- inflammation of the skin,
- herpes in active phase,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.



Purpose

Improves skin elasticity and turgor by increasing the inflow of moisture to it, activates the regeneration of skin cells, it can be used in all types of skin, even for a hypersensitive, sensitive skin care, rosacea, lighten age spots, shallow wrinkles type of aging, regulates sebum secretion.

Application

Combined fruit peels. The total amount of acids AHA — 70%. Fruit acid (also called alhydroacids or AHA acids) lightens the skin, making it more smooth, soft and elastic at the same time. Removes the first signs of aging (wrinkles shallow, decreased tone). Alhydroacids weaken the link between necrotic skin particles and help them painlessly to peel, clean sebaceous gland from sweat and fatty secretions and thereby reduce the risk of acne and blackheads, normalize lipid balance of the skin.

SALICYLIC PEEL

20%, pH 2.0

Ingredients: the alcohol, citric acid, salicylic acid, water.

Contraindications:

- individual intolerance of ingredients peeling composition,
- violation of the integrity of the skin,
- inflammation of the skin,
- herpes in active phase,
- pregnancy and lactation,
- prepeeling training.
- When a problem skin and acne the patient must daily apply a preparation prepeeling on clean skin for 10-14 days.

Size: 1fl.oz / 30ml.



Purpose

Individual intolerance of ingredients peeling composition, violation of the integrity of the skin, inflammation of the skin, herpes in active phase, pregnancy and lactation, prepeeling training. When a problem skin and acne the patient must daily apply a preparation prepeeling on clean skin for 10-14 days.

Application

Salicylic acid — a powerful antiseptic. It is able to penetrate deeply into the pores of the outer gland secretion and inhibit the production of skin fat. The substance is removes dead cells very well, it destroys germs and stimulates collagen production, evens skin texture, smoothes fine lines and gives the skin elasticity, lighten age spots. For local use in the presence of deep painful inflammatory elements in patients with acne.

SALICYLIC-GLYCOLIC PEEL

pH 2.0

Ingredients: the alcohol, citrus acid, salicylic acid, glycolic acid and water.

Contraindications:

- individual intolerance of ingredients of peeling composition,
- violation of the integrity of the skin,
- inflammation of the skin,
- herpes in active phase,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.



Purpose

Indications problematic oily skin (seborrhea), acne (hyperkeratinization, clogged pores), hyperpigmentation, including freckles, prevention of photoageing, very dry skin (feeling of tightness, reddening, roughening and / or peeling), postacne, expansion of pores, uneven skin texture, scarring, stagnant spots, post-inflammatory hyper and depigmentation.

It influences on the structure of the epidermis, smooths surface and skin color improves significantly the condition of the skin, without resorting to surgical methods of rejuvenation. It has powerful antiseptic and expressed cleansing properties, promotes the normalization of the sebaceous glands and narrows pores. Salicylic, glycolic peel can solve serious problems: reducing the severity of wrinkles, the presence of «holes» on the face from acne, multiple pigmentation of freckles.

Application

Salicylic — glycolic peel has a healthy effect in acne (acne) and the problem of post-acne (a collective term that combines complex of persistent skin changes resulting of a long-term rash and seborrhea). Using in the preparation of glycolic acid having the lowest molecular weight and size, allows to solve the problems associated with hyperkeratosis, dry skin, formation of wrinkles and promote skin regeneration. It improves skin hydration and has antioxidative properties.

TCA PEEL

25%, pH 1.1

Ingredients: Water, trichloroacetic acid, propylene glycol, sodium hydroxide.

Contraindications:

- individual intolerance of ingredients of peeling composition,
- infectious diseases of the skin (trichophytosis, microsporia etc.),
- herpes in the acute stage,
- violation of the integrity of the skin,
- chronic dermatitis in acute phase,
- excessive sun exposure,
- pregnancy and lactation,
- the tendency to the formation of hyperpigmentation,
- minutes of the procedure.

Size: 1fl.oz / 30ml.



Purpose

Photoageing, melasma, dehydration of the epidermis, age-related changes of the skin, decrease in elasticity and skin tone, the presence of age spots, freckles, uneven color of the face, postacne, stretch marks on the body, excessive oiliness of the skin, enlarged pores.

Application

TCA peel 25% has a strong keratolytic and exfoliating action. Because of this it is highly effective in skin roughness, fine lines, acne scars. It clears clogged ducts of the sebaceous glands and tightens enlarged pores. Whitening effect is achieved by exfoliating dead skin layers, applying it with freckles, flat birthmarks, dull, gray colour of face. It stimulates intensely producing of collagen and elastin, and is applied with the loss of turgor and elasticity of the skin.

Prepeeling

For this purpose, the drug pref with fruit acids of low concentration is used — it is necessary to improve the uniformity of penetration of the active substance in the TCA peels and raise the efficiency of the procedure. Pref is used for 10-14 days daily before doing the peeling procedure.

AHA EMULSION

25%

Ingredients: malic acid, glycolic acid, citrus acid, lactic acid, tartaric acid.

Contraindications:

- individual intolerance of ingredients peeling composition,
- violation of the integrity of the skin,
- inflammation of the skin,
- herpes in active phase,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.



Purpose

Improves skin elasticity and turgor by increasing the inflow of moisture to it, activates the regeneration of skin cells, it can be used in all types of skin, even for a hypersensitive, regulates sebum secretion, sensitive skin care, rosacea, lightens age spots, shallow wrinkles type of ageing.

Application

Combined fruit peels — emulsion. Fruit acids (also called alfahydroacids or AHA acids) lighten the skin, making it more smooth, soft and elastic the same time, remove the first signs of ageing (shallow wrinkles, decreased tone). Alfahydroacids weaken the link between necrotic skin particles and help them to peel painlessly, clean sebaceous glands from sweat and fatty secretions and thereby reduce the risk of acne and blackheads, normalize lipid balance of the skin.

RETINOL-GLYCOLIC PEEL

5%

Ingredients: the alcohol, glycolic acid, retinol, water.

Contraindications:

- individual intolerance and allergies to ingredients peeling composition,
- violation of the integrity of the skin,
- viral infections,
- inflammation of the skin,
- herpes active phase,
- liver disease, including hepatitis transferred,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.



Purpose

The lack of collagen, violation of normal skin moisture, presence of facial wrinkles, the lack of skin elasticity, need for skin whitening effect, the age and photoageing of the skin, acne, hyperpigmentation, hyperkeratosis.

Application

it gives more deep effect due to glycolic acid in its composition, but offers a high degree of security. The retinol — glycolic peel improves the structure of the skin, increases collagen synthesis, normalizes slow metabolism in the skin. It helps in the treatment of acne and increased greasiness.

Prepeeling

Pre-peel are used with a low concentration of fruit acids for prepeeling — it is necessary to improve the uniformity of penetration of the active substance at the peeling with retinol and increase the efficiency of the procedure. Pre-peel is used for 10-14 days daily before doing the peeling procedure.

PHENOL PEEL

10%, pH 1.0

Ingredients: water, phenol, propylene glycol.

Contraindications:

- individual intolerance of ingredients peeling composition,
- violation of the integrity of the skin,
- inflammation of the skin,
- herpes in active phase,
- liver, kidney, cardiovascular and central nervous systems,
- pathology of thyroid gland,
- the presence of numerous nevi,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.



Purpose

Flabbiness, wrinkles and fine lines face, epidermal and mixed types of hyperpigmentation of different genesis, scarring (including stretch marks and post-acne), epidermal and mixed types of hyperpigmentation of different genesis.

Application

The median a phenol peel provides exfoliation of the skin, stimulates the production of collagen, elastin and hyaluronic acid, which provides a powerful anti-ageing and lifting effect. It has a bleaching effect.

NEUTRALIZER

Ingredients: water, glycerin, sodium bicarbonate, propylene glycol, diazolidinyl urea, methyl paraben, paraben propylene.

Application: solution to neutralize the chemical peel. Neutralizes the glycolic, lactic, ANA — peelings. Water-based catalyst composition is well absorbed, improves dissolution of active ingredients, reduce the aggressiveness of acids, relieves burning sensation. It is an excellent tool after peels after to return of normal skin pH.

Contraindications:

- individual intolerance of ingredients of peeling composition.

Application: Neutralizes all kinds of chemical peels (AHA), normalizes skin pH, minimizes irritation, reduces side effects.

Size: 1fl.oz / 30ml.

PRE-PEEL

8%

Ingredients: water, malic acid, glycolic acid, citrus acid, lactic acid, tartaric acid, sodium lactate, sodium citrate, disodium tartrate, sodium malate.

Purpose: gradual habituation and adaptation of the skin to the action of acid. The need for a uniform admission to the skin. Provide improved effectiveness procedure. Fruit-glycolic acid composition is ideal for the gentle care and preparation for peeling. It gives mild bleach, loosening, moisturizing effect. For local use in case of deep painful inflammatory elements in patients with acne.

Contraindications:

- individual intolerance of ingredients of peeling composition,
- violation of the integrity of the skin,
- herpes in active phase,,
- pregnancy and lactation.

Size: 1fl.oz / 30ml.

